115 THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 12th April 1940, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in Hand and at Bankers	23,96,776
„ Reserve Fund	27,00,000	„ Loans and Cash Credit Accounts	1,97,13,039
„ Public and other Deposits	2,88,65,506	„ Bills discounted and purchased	11,91,305
„ Sundries	4,00,226	„ Investments	94,83,386
		„ Balance at Agencies	...
		„ Dead Stock	10,43,661
		„ Sundries	1,37,565
Total Rs.	3,39,65,732	Total Rs.	3,39,65,732

(Annas and pies omitted.)

BANGALORE,
Dated 16th April 1940.

F. L. PERADON,
Manager.

I intend changing my name as A. R. Krishna Murthy Rao instead of A. R. Krishnappa.

117 A. R. KRISHNAPPA.

118 MYSORE GOVERNMENT LIFE INSURANCE DEPARTMENT (PUBLIC BRANCH).

Application having been received for the issue of a duplicate of Policy No. 19100/C 16763 on the life of Mr. C. Raja Naik, Police Daffedar, Bangalore City, it is hereby notified that the duplicate will be issued unless valid objection therefor is received by the undersigned within one month from this date.

BANGALORE,
Dated 13th April 1940.

M. VIRARAJA URS,
Secretary.

NOTICE.

The Mysore Government Promissory Note No. D. O. 12157 of the 6½ per cent loan for Rs. 100 originally standing in the name of Basavanagowda, son of Murigappa of Diddige village in Jagalur Taluk and last endorsed to.....the proprietor, by whom it was never endorsed to any other person, having been lost (or destroyed), notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

Name of person notifying: Lingappa, son of Basavanagowda. Residence: Diddige village, Jagalur Taluk.

2-4-1940

ದಿದ್ದಿಗೆ ಕಡುವಿಗೇರೆ ಬನವನ ಗೌಡಪ್ಪನ ಮಗ ಲಿಂಗಪ್ಪ.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C., dated 6th April 1940.

To

The Firms dealing in Electrical equipment.

Enquiry No. 3983.

MOTOR, ELECTRIC BLOWER AND STAINLESS STEEL SHEETS REQUIRED FOR THE TECHNOLOGICAL INSTITUTE, BANGALORE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Motor, Electric Blower and Stainless Steel Sheets", with the above enquiry number.

This enquiry will be closed on the 30th April 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Motor $\frac{1}{6}$ H.P. 220 volts, 25 cycles, A.C. 3 Phase, 1720 r.p.m., Diameter of shaft—$\frac{1}{2}$" ..	1		
2	Motor $\frac{1}{4}$ H.P. do do ..	1		
3	Electric Blower, complete with motor and fan, with diameter of fan 4", for a drying cupboard—current available is 220 volts, 25 cycles, A.C. 3 phase	1		
4	Stainless Steel Sheets, 24 or 32 gauge, each one of 18'—3"×3'—9" size. If sheets in 3'—9" width are not available next nearest size may be mentioned	2		

No. S. P. C. 32083-90, *dated 6th April* 1940.

To

The Firms dealing in Road Rollers.

Enquiry No. 3988.

EIGHT TON ROAD ROLLER FOR SHIMOGA DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for eight ton Road Roller for Shimoga Division", with the above enquiry number.

This enquiry will be closed on the 1st May 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Shimoga.	
1	Diesel 8 ton Road Roller having three wheels of the non-water ballast type and an approximate working order weight of 8 tons. The roller should be complete with differential gear, Awning with side and end curtains, and should be fitted with a Multi-cylinder vertical cold starting Diesel Engine	One.		

N.B.—(1) The name of the manufacturer and the horse power of the engine offered should be intimated.

(2) The oil and fuel consumption of the engine should be specified.

(3) Quotations for delivery of the Road Roller from stock will be preferred.

No. S. P. C. 32132-46, *dated 9th April* 1940.

To

The Firms dealing in Electrical Materials.

Enquiry No. 3991.

DEMAND INDICATING TYPE WATT-HOUR METERS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials:—

Item (1)—12—15 Minute Interval K.W. demand Indicating transformer type watt-hour meters, 2 element, back-connected 3 phase, 3 wire, *double tariff*, integrating type with demand register, switch-board pattern for use on 25 cycle, 2,300–115 volts circuits, amperes 100/50/5, suitable for unbalanced load systems and provided with cyclometer type registering mechanisms. The demand register must be complete with temperature compensating device and a suitable time switch, lever escapement, electrical winding not less than 36 hours, spring reserve to work on 230 volts, 25 cycles, single phase supply.

Item (2)—12—15 Minute Interval K.W. demand Indicating Transformer type watt-hour meters, exactly as above, but suitable for *single tariff*.

The meters shall be of the highest accuracy and shall conform to the latest B.S.S. or A.I.E.E. Standards. The accuracy of the equipment offered with full technical specifications and illustrated pamphlets must be submitted along with the tenders.

The prices to be quoted should be for delivery, c.i.f., Madras.

The quotations should be sent in duplicate so as to reach us on or before 15th May 1940.

As the instruments are standard ones and usually available in stock, your principals may be instructed to quote by Air Mail or by cable if possible, as the materials have to be ordered very early.

No. S. P. C. ..... *dated 9th April* 1940.

To

The Firms dealing in Alum mixing plant.

Enquiry No. 3992.

ALUM MIXING DEVICE APPARATUS FOR CHIKMAGALUR WATER SUPPLY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Alum mixing device Apparatus " with the above enquiry Number.

This enquiry will be closed on the 29th April 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Alum mixing device for a daily supply of 3 lakhs of gallons. The unit to be as compact as possible. The maximum and the minimum dosage of Alum to be specified.		Chikmagalur Out Agency including erecting plant at Site.	

N.B.—Detailed specifications of plant to be furnished along with quotation.

No. S. P. C. 32253-68, *dated* 10*th April* 1940.

To

The Firms dealing in Electrical materials.

Enquiry No. 3995.

FUSE CUT-OUTS AND CASINGS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the materials described below conforming to the specifications given in the following paragraphs.

Item (1) 1,000—Single Pole porcelain fuse plug cut-outs 30 amps. for 230-volts service.
Item (2) 4,000—Double pole do do do do
Item (3) 10,000—Fuse plug casings porcelain, Edison Screw, 30 amps., for 230-volts service, suitable for use with the cut-outs of items 1 and 2 above.

The fuse cut-outs and casings required on this enquiry are for providing protection at the tapping points of the consumers' lines and will be fixed inside C. I. Boxes mounted on poles. They shall be made of porcelain and heavily glazed to prevent absorption of moisture with fittings of spring brass which shall be rigidly and securely cemented in the porcelain. They shall be mechanically strong and durable and shall not be easily damaged by normal frequent handling.

The casings shall be suitable for holding a cartridge type fuse holder and shall be provided with a ventilating hole at the top. They shall be suitable for being screwed-in to the cut-outs, both of them being provided with Edison type screws for the purpose.

The cut-outs shall be suitable for being screwed on to wooden planks and the holes provided for the purpose shall be countersunk and permit the use of Nettlefold wood screws 1″ long. Links with extra long binding screws shall be provided for connecting the wires to the cut-outs and the screws shall have large heads and shall be provided with washers. Sufficiently high barriers shall be provided to prevent accidental contacts of fuses, wires, etc., of opposite polarity.

The cut-outs and casings shall be generally as per sketch which will be sent on application and conform to certain dimensions such as the internal diameter of the casing, outside diameter of the screw threads on the casing, etc., as specified. The casings shall hold in position fuse holders 2″ long and 9/16″ diameter with proper contacts at both ends. The metal parts shall be such as to provide for the maximum current carrying capacity without heating.

The quotations should be accompanied with illustrative and descriptive details of the con tructional features of the cut-outs and casings offered without which no quotation will be considered.

A copy of the drawing referred to is enclosed.

The prices to be quoted should be for delivery, c.i.f., Madras.

Your quotations should be sent in duplicate. The covers should be superscribed with our Enquiry Number and the name of materials quoted for.

This enquiry will close on the 30th May 1940.

No. S. P. C., dated 10*th April* 1940.

To

The Firms dealing in Tool Steel.

Enquiry No. 3996.

TOOL STEEL.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

	Quantity required.
Item (1) Tool Steel $\frac{7}{8}$″ dia. Octagonal Sheffield English Make in standard lengths	$\frac{1}{2}$ ton
Item (2) Tool Steel $\frac{7}{8}$″ dia. round Sheffield English Make in standard lengths	$\frac{1}{2}$ ton

The name of the manufacturers of the materials offered must be specified. The material must bear the brand or name of the manufacturers.

The prices to be quoted should be for delivery, f.o.r., Sagara, Mysore State Railway.

This enquiry will close on the 22nd April 1940.

No. S. P. C. 32282-94, *dated* 10*th April* 1940.

To

The Firms dealing in Hardware.

Enquiry No. 3997.

PULLEY BLOCK FOR THE MYSORE IMPLEMENTS FACTORY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pulley Block for the Mysore Implements Factory" with the above enquiry number.

This enquiry will be closed on the 5th May 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Five ton hand operated worm gear pulley block with chain for clear lift of 20 feet with all accessories	One	*Hassan.*	

N.B.—The name of the makers should be clearly specified.

No. S. P. C 32508-15, *dated* 12*th April* 1940.

To

The Firms dealing in Sluice Valves.

Enquiry No. 3999.

SLUICE VALVES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sluice Valves required for Bangalore Water Supply" with the above enquiry Number.

This enquiry will be closed on the 24th April 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	C. I. Sluice Valves 9″ with tail pieces ..	4	Bangalore City.	
2	Do 4″ do ..	7		
3	Do 2½″ without tail pieces	20		

N.B.—Quotations may also be furnished for Sluice Valves without tail pieces in the case of items 1 and 2.

No. S. P. C......, dated 12th April 1940.

To

The Firms dealing in Hardware Materials.

Enquiry No. 4000.

BRASS RODS FOR THE GOVERNMENT ELECTRIC FACTORY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Brass Rods for the Government Electric Factory" with the above enquiry Number.

This enquiry will be closed on the 30th April 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Brass Hexagonal Rods ⅝″ size	500 feet	Bangalore.	
2	Do ½″ ,, ...	400 ,,		
3	Do 5/16″,, ...	400 ,,		
4	Do ⅜″ ,, ...	400 ,,		
5	Brass Round Rods ¾″ diameter	50 ,,		
6	Do 9/16″ do	50 ,,		

No. S. P. C. 32721-30, *dated 13th April* 1940.

To

The Firms dealing in Photo Materials.

Enquiry No. 4005.

PHOTO MATERIALS AND X-RAY FILMS, ETC., REQUIRED DURING THE YEAR 1940.

GENTLEMEN,

Please quote your best prices for the Photo Materials and X-Ray Films of different sizes, described in the schedule noted below for delivery f.o.r., any Railway Station in the State.

Though specified makes have been mentioned against some of the items, it will be open to the firms to quote for materials of equal standard.

The prices you quote should hold good for a period of one year from the date of order.
The contract for these materials will be subject to the following conditions:—

(1) No enhancement in the prices accepted will be allowed during the period of contract.
(2) The successful tenderer should arrange to keep fresh stocks of the various materials in order to supply them on indents from the Departments at a week's notice.
(3) As a guarantee for the proper performance of the contract, the successful tenderer will have to execute an agreement undertaking to abide by our terms and also to furnish a security deposit of Rs. 100 which is refundable after the expiry of the period of contract.

This enquiry will be closed on the 1st May 1940.

Schedule.

(Quotations need be sent only for the particular sizes and in units required.)

Item No.	*Description of material.*	*Rate.*
1.	Plates Panchromatic, $4\frac{1}{4}\times3\frac{1}{4}$	Per doz.
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	$8\frac{1}{2}\times6\frac{1}{2}$	do
2.	Illford Autofilter Plates, $4\frac{1}{4}\times3\frac{1}{4}$	do
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	$8\frac{1}{2}\times6\frac{1}{2}$	do
3.	Illford Process Plates, $4\frac{1}{4}\times3\frac{1}{4}$	do
	5×4	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	$8\frac{1}{2}\times6\frac{1}{2}$	do
4.	Illford Empress Plates, $4\frac{1}{4}\times3\frac{1}{4}$	do
	5×4	do
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	$8\frac{1}{2}\times6\frac{1}{2}$	do
5.	Illford Special Rapid Plates, $4\frac{1}{4}\times3\frac{1}{4}$	do
	5×4	do
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	$8\frac{1}{2}\times6\frac{1}{2}$	do
6.	Illford Lantern Plates $3\frac{1}{4}\times3\frac{1}{4}''$	do
7.	Lantern masks (assorted)	do
8.	Do Binding strips	do
9.	Covering Plain glasses $3\frac{1}{4}\times3\frac{1}{4}$	do
10.	Film packs $2\frac{3}{8}\times1\frac{3}{4}$	Each.
	$3\frac{1}{4}\times2\frac{1}{4}$	do
	$4\frac{1}{4}\times2\frac{1}{2}$	do
	$4\frac{1}{4}\times3\frac{1}{4}$	do
	$5\frac{1}{2}\times3\frac{1}{4}$	do
	5×4	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	9×12 cm.	do
11.	Eastman Portrait Film par and super speed and Eastman Process film $3\frac{1}{4}\times2\frac{1}{4}$	Per doz.
	$4\frac{1}{4}\times3\frac{1}{4}$	do
	$5\frac{1}{2}\times3\frac{1}{4}$	do
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	5×4	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
12.	Eastman Commercial Panchromatic Film, Eastman Portrait Panchromatic Film, Eastman Supersensitive Panchromatic Film, $3\frac{1}{4}\times2\frac{1}{4}$	Per doz.
	$3\frac{1}{2}\times2\frac{1}{2}$	do
	$4\frac{1}{4}\times3\frac{1}{4}$	do
	5×4	do
	$5\frac{1}{2}\times3\frac{1}{2}$	do
	$6\frac{1}{2}\times4\frac{3}{4}$	do
	9×12 c.m	do

Item No.	*Description of material.*		*Rate.*
13.	Roll Films—Regular (Selo)—Selochrome,	$1\frac{5}{8}\times2\frac{1}{2}$	Each.
		$2\frac{1}{4}\times2\frac{1}{4}$	do
		$3\frac{1}{4}\times2\frac{1}{4}$	do
		$4\frac{1}{4}\times2\frac{1}{2}$	do
		$4\frac{7}{8}\times2\frac{7}{8}$	do
		$5\frac{1}{2}\times3\frac{1}{4}$	do
14.	(Velox Paper) Selo Gaslight-all grades,	$4\frac{1}{4}\times3\frac{1}{4}$ 17sh. per packet	Per packet.
		$5\frac{1}{2}\times3\frac{1}{2}$ 12 sh. do	do
		$6\frac{1}{2}\times4\frac{3}{4}$ 7 sh. do	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 6 sh. do	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 12 sh. do	do
		P-Cards 9 cards do	do
15.	Illford Bromide paper—Single weight—all grades	$5\frac{1}{2}\times3\frac{1}{2}$ 12 sh. per packet	Per packet.
		$6\frac{1}{2}\times4\frac{3}{4}$ 7 sh. do	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 6 sh. do	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 12 sh. do	do
		12×10 6 sh. do	do
		12×12 12 sh. do	do
		15×12 6 sh. do	do
		15×12 12 sh. do	do
		P-Cards 9 cards do	do
16.	Illford Bromide papers—Double weight—all grades	$6\frac{1}{2}\times4\frac{3}{4}$ 6 sh. per packet	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 6 sh. do	do
		12×10 6 sh. do	do
		15×12 6 sh. do	do
17.	Illford P.O.P. (Tropical)–all grades,	$2\frac{3}{4}\times1\frac{3}{4}$ 24 sh. per packet	do
		$3\frac{1}{4}\times2\frac{1}{2}$ 14 sh. do	do
		$4\frac{1}{2}\times2\frac{3}{4}$ 10 sh. do	do
		$4\frac{1}{4}\times3\frac{1}{4}$ 18 sh. do	do
		$5\frac{1}{2}\times3\frac{1}{2}$ 15 sh. do	do
		$6\frac{1}{2}\times4\frac{3}{4}$ 10 sh. do	do
		$8\frac{1}{2}\times6\frac{1}{2}$ 6 sh. do	do
18.	Porcelain dishes (semi Deep)	$4\frac{1}{4}\times3\frac{1}{4}$	Each.
		5×4	do
		$5\frac{1}{2}\times3\frac{1}{2}$	do
		$6\frac{1}{2}\times4\frac{3}{4}$	do
		$8\frac{1}{2}\times6\frac{1}{2}$	do
		10×8	do
		12×10	do
		15×12	do
19.	Printing Frames Jaynay,	$3\frac{1}{2}\times2\frac{1}{2}$	do
		$4\frac{1}{2}\times2\frac{3}{4}$	do
		$4\frac{1}{4}\times3\frac{1}{4}$	do
		$5\frac{1}{2}\times3\frac{1}{2}$	do
		$6\frac{1}{2}\times4\frac{3}{4}$	do
		$8\frac{1}{2}\times6\frac{1}{2}$	do
		10×8	do
		12×10	do
		15×12	do
20.	Floral Mounts	$4\frac{1}{4}\times3\frac{1}{4}$	Per doz.
		$5\frac{3}{4}\times3\frac{3}{4}$	do
		$6\frac{1}{2}\times4\frac{3}{4}$	do
		$8\frac{1}{2}\times6\frac{1}{2}$	do
21.	Art Boards	$25\frac{1}{2}\times20\frac{1}{2}$ Cosway	do
22.	Art Papers	$25\frac{1}{2}\times20\frac{1}{2}$ Cosway in different colours	do
23.	Multiplus tint papers	$32\frac{1}{2}\times22\frac{1}{2}$	do
24.	Boards (Ensign Mounting Boards,	Imperial 32×22 6 sh.	do
		Royal 25×20 8 ,,	do
		Star 31×25 8 ,,	do
		Double Imperial 32×44 10 ,,	do
		Caspian 31×25 8 ,,	do
		Double shade	
25.	Developing Powders in packets of half dozen	Pyro soda	Per packet.
		Metol Quinol	do
		Pyro Metol	do
		Velox	do
		Special Developer	do

Item No.	Description of material.	Rate.
26.	Acid Fixing salt in tin ¼ lb. tin	Each.
	½ lb. „	do
	1 lb. „	do
27.	Neutral gold toning and fixing salt to make 32 oz. solution	do
28.	Developing solutions—	
	Azol 3 oz. bottle	do
	Azol 8 oz. bottle	do
	One solution developer 4 oz.	do
	Do 8 oz.	do
	Illford's Certinal 3 oz. bottle	do
	Do Dessensitol 3 oz. bottle	do
	Gold toning and fixing combined 4 oz.	do
	Do 10 oz.	do
	Sepia toner 1 oz. bottle	do
	Septon one solution Sepia toner	do
	Illford tropical hardner 3 oz.	do
	Glazing liquid 4 oz.	do
	Do 8 oz.	do
	Hypokiller 8 oz.	do
	Do 16 oz.	do
	Restrainer, Pot Bromide 10 per cent	do
29.	Hypsulphite of Soda large pea crystals, 10 lb. packets	do
	12 lb. do	do
	20 lb. do	do
30.	Alum Powder, 1lb. packets	do
	7 „ „	do
	14 „ „	do
	28 „ „	do
31.	Alum Chrome, 2 oz. bottles	do
	4 „ „	do
	8 „ „	do
	16 „ „	do
32.	Metol (Elon) 1 oz.	do
	2 „ „	do
	4 „ „	do
	8 „ „	do
33.	Hydrokinone 1 oz. „	do
	2 „ „	do
	4 „ „	do
	8 „ „	do
34.	Soda Sulphite Dried (Powder) 8 oz. bottles	do
	17 „ „	do
	7 lb.	do
35.	Soda Carbonate Dried (Powder) 8 oz. bottle	do
	1 lb. „	do
	7 lb. „	do
36.	Potassium Bromide 1 oz. bottle	do
	2 „ „	do
	4 „ „	do
37.	Potassium Metabisulphite 1 oz. bottle	do
	2 „ „	do
	4 „ „	do
	8 „ „	do
38.	Mounting Paste—Jhonson's Special, Bottles medium size	do
	Bottles large size	do
39.	*Electric Lamps and Bulbs for Photo Work.*—	
	1. Electric Bulbs	Rate per ½ doz.
	2. Do Lamps	do ¼ „
40.	Duplitised Films (X-Rays) double wrapped 17″×14″	*Rate per doz., f.o.r., Bangalore and Mysore.*
	15″×12″	
	12″×10″	
	10″×8″	
	8½″×6½″	
	6½″×4¾″	
	6¼″×4¼″	

Item No.	*Description of material.*	*Rate.*
41.	X-Ray Dental Films, extra fast	
42.	Coloured plates AGFA 9×12 cm.	
43.	Victor X-Ray Film Developer No. 3 (Each tin enough to make 3 gallons of solution)	Per tin.
44.	Victor X-Ray Hypo Acid Alum No. 5 (Each tin enough to make 3 gallons of solution)	do

Yours faithfully,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.